

### GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

#### **SECTION 1. IDENTIFICATION**

Commercial Product

Name

Product number SDS-Identcode

Product Use Description

Company

: GLASS CLEANER 19 oz

: 8890925 : 10033615

: Cleaning agent: Wurth USA Inc.

93 Grant St.

07446 Ramsey, NJ

USA

Telephone

Telefax

Responsible/issuing

person

Emergency telephone

number

: +1 201 825 27 10

: +1 201 825 16 43

: prodsafe@wuerth.com

: +1 800 255 3924

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Gases under pressure

: Liquefied gas

**GHS Label element** 

Hazard pictograms

Signal word

: Warning

Hazard statements

: H280 Contains gas under pressure; may explode if heated.

Precautionary statements

: Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.



## GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Weight percent- Weight percent	
ethanol	64-17-5	>= 1 - < 5	
propane	74-98-6	>= 1 - < 5	
2-butoxyethanol	111-76-2	>= 1 - < 5	
butane	106-97-8	>= 1 - < 5	

### **SECTION 4. FIRST AID MEASURES**

General advice

: If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person. Take off contaminated clothing and

shoes immediately.

Inhalation

If breathed in, move person into fresh air. In the case of inhalation of aerosol/mist consult a physician if necessary.

Skin contact

: Immediately flush skin with large amounts of water.

Eye contact

If easy to do, remove contact lens, if worn. In the case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

Ingestion

: If swallowed, DO NOT induce vomiting, If symptoms persist, call a physician. If a person vomits when lying on

his back, place him in the recovery position.

### Notes to physician

Treatment

: Treat symptomatically and supportively.

### **SECTION 5. FIREFIGHTING MEASURES**

Form

: Aerosol containing a liquefied gas

Suitable extinguishing

media

Carbon dioxide (CO2)

Water mist

Foam

Dry powder



# GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Specific hazards during firefighting

Do not use a solid water stream as it may scatter and

spread fire.

Hazardous decomposition products may be formed

under fire conditions (see section 10).

Exposure to decomposition products may be a hazard to

health.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

Further information

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

In the event of fire and/or explosion do not breathe

fumes.

Use water spray to cool unopened containers.

If the temperature rises there is danger of the vessels

bursting due to the high vapor pressure.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Refer to protective measures listed in sections 7 and 8.

Ensure adequate ventilation, especially in confined areas.

Avoid inhalation of vapour or mist.

Environmental precautions

: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica

gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

CERCLA Hazardous substances and corresponding RQs:

111-76-2	final RQ	



## GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

#### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Handling

: For personal protection see section 8.

Limit the stocks at work place.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.

Do not spray on a naked flame or any incandescent

material.

Advice on protection

against fire and explosion

Normal measures for preventive fire protection.

Dust explosion class : Not applicable

#### Storage

Requirements for storage areas and containers

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on

flames or red-hot objects.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Protect from frost, heat and sunlight.

Please observe the storage instructions for aerosols!

Advice on common

storage

: Keep away from food, drink and animal feedingstuffs.

Incompatible with acids.

Storage temperature

: < 49 °C (< 120 °F)

Other data

: No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 



## **GLASS CLEANER 19 oz**

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Components	CAS-No.	List	Type:	Value	Update
ethanol	64-17-5	OSHA Z-1	TWA	1,000 ppm 1,900 mg/m3	1997-08-04
		NIOSH REL	TWA	1,000 ppm 1,900 mg/m3	2013-10-08
		OSHA PO	TWA	1,000 ppm 1,900 mg/m3	1989-01-19
		ACGIH	STEL	1,000 ppm	2013-03-01
propane 74-98	74-98-6	OSHA Z-1	TWA	1,000 ppm 1,800 mg/m3	1997-08-04
		NIOSH REL	TWA	1,000 ppm 1,800 mg/m3	2013-10-08
		OSHA PO	TWA	1,000 ppm 1,800 mg/m3	1989-01-19
2-butoxyethanol	111-76-2	ACGIH	TWA	20 ppm	2013-03-01
		OSHA Z-1	TWA	50 ppm 240 mg/m3	1997-08-04
NIOSH REL OSHA PO	TWA	5 ppm 24 mg/m3	2005-09-01		
		OSHA PO	TWA	25 ppm 120 mg/m3	1989-01-19
butane	106-97-8	NIOSH REL	TWA	800 ppm 1,900 mg/m3	2013-10-08
		OSHA PO	TWA	800 ppm 1,900 mg/m3	1989-01-19
		ACGIH	STEL	1,000 ppm	2014-03-01

Engineering measures

: Provide adequate ventilation.

Eye protection

: In case of splash hazard, please wear protective goggles.

Hand protection

Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective

gloves with the glove manufacturer.

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work

place.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory

equipment.

Hygiene measures

: Handle in accordance with good industrial hygiene and

safety practice.

General industrial hygiene practice.

Do not inhale aerosol.



## **GLASS CLEANER 19 oz**

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Aerosol containing a liquefied gas

Physical state

: aerosol

Colour

: colourless

Odour

: characteristic : No data available

Odour Threshold

No data available

Flash point

: No data available

Ignition temperature

: No data available

Thermal decomposition Lower explosion limit

: No data available

Upper explosion limit

: No data available : No data available

Flammability Molecular weight

: No data available

Hq

: 9.5 - 10.5

Freezing point

: No data available

Boiling point/boiling range

; ca.96.1 °C(205.0 °F)

Vapour pressure

: No data available

Relative vapour density Evaporation rate

: No data available : No data available

Density

: ca.0.9604 g/cm3

Relative density **Bulk density** 

: No data available : No data available

Water solubility : completely soluble

Partition coefficient: n-

: No data available

octanol/water Solubility in other solvents

: No data available

Viscosity, dynamic Viscosity, kinematic

: No data available : No data available



## GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Volatile organic

compounds (VOC) content

: 9.7 %

93 g/l

#### SECTION 10. STABILITY AND REACTIVITY

Materials to avoid

: Acids

Hazardous decomposition

products

: Build-up of dangerous/toxic fumes possible in cases of

fire/high temperature.

Hazardous reactions

: Note: No decomposition if stored and applied as

directed.

If the temperature rises there is danger of the vessels

bursting due to the high vapor pressure.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute dermal toxicity

LD50 Rat

Dose: 7,571 mg/kg

Acute inhalation toxicity

Acute toxicity estimate

Exposure time: 4 h Dose: > 40 mg/l

Method: Calculation method

Carcinogenicity

Reproductive toxicity

Teratogenicity

Further information

No data is available on the product itself.

No data is available on the product itself.

: No data is available on the product itself.

 Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss

of consciousness.

Component:

2-butoxyethanol

111-76-2

Acute oral toxicity: LD50 Rat

Dose: 1,746 mg/kg

Method: OECD Test Guideline 401



## GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Acute dermal toxicity; LD50 Dose: > 1,000 - 2,000 mg/kg

Acute inhalation toxicity: LC50

Dose: > 10 - 20 mg/lExposure time: 4 h

Skin irritation: Rabbit Result: irritating

Method: Directive 67/548/EEC, Annex V, B.4.

Eye irritation: Rabbit

Result: Irritation to eyes, reversing within 7 days

Method: OECD Test Guideline 405

Carcinogenicity: Not classifiable as a human

carcinogen.

Reproductive toxicity: No toxicity to reproduction Teratogenicity: Animal testing did not show any effects

on foetal development.

butane

106-97-8

Acute inhalation toxicity: LC50 Rat Dose: 658 mg/lExposure time: 4 h

Carcinogenicity:

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP

No component of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Volatile organic compounds (VOC)

: 9.7 %

content

Additional ecological

information

: The product should not be allowed to enter drains, water

courses or the soil.



## **GLASS CLEANER 19 oz**

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Component:

2-butoxyethanol

111-76-2

Toxicity to fish:

C.50

Species: Oncorhynchus mykiss (rainbow trout)

Dose: 1,474 mg/l Exposure time: 96 h

Acute and prolonged toxicity for aquatic invertebrates:

EC50

Species: Daphnia magna (Water flea)

Dose: 1,550 mg/l Exposure time: 48 h

Toxicity to algae:

EC50

Species: Pseudokirchneriella subcapitata (green algae)

Dose: 911 mg/l Exposure time: 72 h

Toxicity to algae:

NOEC

Species: Pseudokirchneriella subcapitata (green algae)

Dose: 88 mg/l Exposure time: 72 h

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Adequate disposal

: In accordance with local and national regulations.

### **SECTION 14. TRANSPORT INFORMATION**

DOT 49 CFR

ID No

: UN 1950

Proper shipping name

: Aerosols

Class

: 2.2

Labels

: 2.2

**Emergency Response** 

: 126

Guidebook Number

**TDGR** 

ID No

: UN 1950

Proper shipping name

: AEROSOLS

Class

2.2



### GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

Labels

: 2.2

ICAO/IATA-DGR

ID No

: UN 1950

Proper shipping name

: Aerosols, non-flammable

Class

: 2.2

**ICAO-Labels** 

: 2.2

Packing instruction (cargo

: 203

aircraft)

Packing instruction

: 203

(passenger aircraft)

Packing instruction

(passenger aircraft)

: Y203

Environmentally hazardous: no

IMDG-Code

ID No

: UN 1950

Description of the goods

: AEROSOLS

Class

: 2.2

**IMDG-Labels** 

: 2.2

EmS Number 1

: F-D

EmS Number 2

: S-U

Marine pollutant

: no

### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards

: Sudden Release of Pressure Hazard

**CERCLA Reportable** 

Quantity

: Calculated RQ exceeds reasonably attainable upper limit.

This material does not contain any components with a

CERCLA RQ.

**PENN RTK** 

US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code

Chap. 301-323)

Components	CAS-No.
water -	7732-18-5
ethanol *	64-17-5



# GLASS CLEANER 19 oz

Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

propane	74-98-6	
2-butoxyethanol	111-76-2	
butane	106-97-8	

MASS RTK

US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105

Code of Massachusetts Regulations Section 670.000)

Components	CAS-No.
ethanol	64-17-5
propane	74-98-6
2-butoxyethanol	111-76-2
butane	106-97-8

NJ RTK

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

Components	CAS-No.	
water	7732-18-5	
ethanol	64-17-5	
propane	74-98-6	
2-butoxyethanol	111-76-2	
butane	106-97-8	

California Prop. 65

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.



## GLASS CLEANER 19 oz


Version 6.3

Revision Date 05/20/2015

Print Date 05/23/2015

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**



### HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL	2

0 = Insignificant, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by

SAP Business Compliance Services GmbH

Birlenbacher Str. 19 D-57078 Siegen

Germany

Telephone: +49-(0)271-88072-0

Revision Date

05/20/2015

Date of last issue

05/04/2015

Date of first issue : 11/29/2010