Safety Data Sheet



according to OSHA Hazard Communication 29 CFR Part 1910.1200

according to Regulation (EC) No. 1907/2006 Article 31

Section 1. Identification				
Product Code:	6060			
Product Name:	WB WHT FAST DRY P6060			
Product Type:	WB Paint			
Recommended Use:	Traffic Markings			
Supplied by:	Ennis-Flint A Traffic Safety Solutions Company 115 Todd Court Thomasville, NC 27360 T: 800.331.8118 (For Technical Inquiries)			
Emergency Telephone:	Chemtrec 1-800-424-9300			

Section 2. Hazard(s) identification

EMERGENCY OVERVIEW: This product contains a component suspected of causing cancer. However, it is in a non-respirable form and inhalation is unlike to occur from exposure. This classification is relevant when exposed to dust or powder form only (e.g. sanding, grinding).

Classification

Symbol(s) of Product



Signal Word Warning

GHS Named Chemicals On Label Titanium Dioxide, Methanol

GHS HAZARD STATEMENTS

Eye Irritation, category 2	
Acute Toxicity, Inhalation, category 4	
Carcinogenicity, category 2	

GHS PRECAUTIONARY	STATEMENTS
D001	

H319

H332

H351	Suspected of causing cancer.		
Obtain special instructions before use. Avoid breathing dust/fume/gas/mist/vapours/spray.			

Causes serious eye irritation.

Harmful if inhaled.

Use personal protective equipment as required. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313

IF exposed or concerned: Get medical advice/attention.

P312 P337+P313 Call a POISON CENTER or doctor/physician if you feel unwell. If eye irritation persists: Get medical advice/attention.

Section 3. Composition/Information on ingredients

<u>Chemical Name</u> Titanium Dioxide	<u>CAS-No.</u> 13463-67-7	<u>Wt. %</u> 2.5-10	<u>GHS Symbols</u> GHS08	GHS State H351	ements
Methanol	67-56-1	< 5.0	GHS02-GHS06- GHS08	H225-302-	319-330-370
Chemical Name	CAS-No.	EINECS No.	REACH Reg No.		M-Factors
Titanium Dioxide	13463-67-7	236-675-5	not available		0
Methanol	67-56-1	200-659-6	01-2119433307-4	4-XXXX	0

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

Section 4. First-aid measures



FIRST AID - INHALATION: Move to fresh air. Give oxygen or artificial respiration if needed. Consult a physician if symptoms persist.

FIRST AID - SKIN CONTACT: Wash affected area immediately with soap and plenty of water. Remove contaminated clothing and launder before reuse. Consult a physician if symptoms persist.

FIRST AID - EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician if symptoms persist.

FIRST AID - INGESTION: Do NOT induce vomiting. If conscious, rinse mouth and drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: None expected.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

Section 6. Accidental release measures

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use personal protective equipment. Ensure adequate ventilation. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically. Keep in suitable and closed containers for disposal.

Section 7. Handling and storage



HANDLING: Ensure adequate ventilation. Avoid breathing vapor, mists or dust. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Observe good industrial hygiene practices. Avoid dust formation.

STORAGE: Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.

Section 8. Exposure controls/personal protection

Ingredients with Occupational Exposure Limits					
<u>Chemical Name</u>	ACGIH TLV-TWA	ACGIH-TLV STEL	<u>OSHA PEL-TWA</u>	OSHA PEL-CEILING	
Titanium Dioxide	10 mg/m3		15 mg/m3		


Methanol	200 PPM	250 PPM	200 PPM	
<u>Name</u>	Percentage	VME mg/m3	VME ppm	OEL Nota
Titanium Dioxide Methanol	2.5-10 1.0-2.5	10 266	0 200	15 mg/m3 200 PPM

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

Personal Protection



RESPIRATORY PROTECTION: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.





EYE PROTECTION: Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Eyewash stations, safety showers, ventilation systems.



HYGIENIC PRACTICES: When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

Section 9. Physical and chemical properties

Appearance:	white	Physical State:	Liquid
Odor:	Slight, Ammonia	Odor Threshold:	Not Established
Density, g/cm3:	1.704	pH:	NI
Freeze Point, °C:	NI	Viscosity:	NI
Solubility in Water:	Insoluble	Partition Coefficient, n-octanol/	NI
Decompostion Temp., °C:	NI	water:	
Boiling Point, °C:	N.I.	Explosive Limits, vol%:	N.I.
Combustibility:	Does not Support Combustion	Flash Point, °C:	>94
Evaporation Rate:	Slower than Diethyl Ether	Auto-ignition Temp., °C:	NI
Vapor Density:	Heavier than air	Vapor Pressure:	NI

(See "Other information" Section for abbreviation legend)

Section 10. Stability and reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Dust formation. Do not freeze.

INCOMPATIBILITY: None known based on information supplied.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides. Nitrogen oxides.

HAZARDOUS POLYMERIZATION: Hazardous polymerization does not occur.

Section 11. Toxicological information



Practical Experiences

EFFECT OF OVEREXPOSURE - INHALATION: Harmful if inhaled. Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes). Prolonged, repeated or high exposures may cause central nervous system depression leading to headaches, nausea, drowsiness, dizziness, and possibly narcosis. In extreme cases, may cause loss of consciousness. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Sanding and grinding dust may be harmful if inhaled.

EFFECT OF OVEREXPOSURE - SKIN CONTACT: Direct skin contact may cause irritation.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Direct eye contact may cause irritation.

EFFECT OF OVEREXPOSURE - INGESTION: Ingestion may cause irritation to mucous membranes. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May cause gastrointestinal disturbances with dizziness and central nervous system depression.

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS: This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. Inhalation, ingestion, or skin absorption of methanol can cause blindness.

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name according to EEC	Oral LD50	Dermal LD50	Gas LC50
13463-67-7	Titanium Dioxide	> 10000 mg/kg rat	> 10000 mg/kg rabbit	>20001 ppm
67-56-1	Methanol	1187 -2769 mg/kg rat	17100 mg/kg rabbit	128.2 PPM - 4 h rat

N.I. - No Information

Section 12. Ecological information

ECOLOGICAL INFORMATION: The environmental impact of this product has not been fully investigated.

Further Ecological Information

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

CAS-No.	Name according to EEC	Bio. Conc. Factor (BCF)	Octanol-water par. Coeff (KOW)
13463-67-7	Titanium Dioxide	not available	not available
67-56-1	Methanol	1	-0.77
Section 12	Dispessel considerations		

Section 13. Disposal considerations



Product

DISPOSAL METHOD: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of contents/ container in accordance with the local/regional/national/international regulations. Do not re-use empty containers.

European Waste Code: 080112 waste pait/var.w/o.org. solv/DS

Uncleaned Packaging

European Waste Code: 150110 packaging dangerous residuals

Section 14. Transport information

SPECIAL TRANSPORT PRECAUTIONS: No Information

Road Transport	
UN Number: ADR/RID Class: Packing Group: Shipping Name: Primary Shipping Hazard: Road Tunnel Transport Code:	Not regulated Not regulated No Information Not regulated No Information Not regulated
Sea Transport	
UN Number: IMDG/GGVSee Class: EmS-No: Packing Group: Shipping Name: Primary Shipping Hazard: Marine Pollutant: Shipping Hazard(Marine Pollutant):	Not regulated Not regulated Not regulated No Information Not regulated No Information Not A Marine Pollutant No Information
Air Transport	
UN Number: ICAO/IATA Class:	Not regulated

UN Number: ICAO/IATA Class: Packing Group: Shipping Name: Primary Shipping Hazard: Not regulated Not regulated No Information Not regulated No Information

Section 15. Regulatory information

U.S. Federal Regulations:

CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

<u>Chemical Name</u>	<u>CAS-No.</u>
Methanol	67-56-1
Ammonium hydroxide	1336-21-6

TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

Chemical Name	CAS-No.
Titanium Dioxide	13463-67-7
Methanol	67-56-1
Ethoxylated Octylphenol	9002-93-1
Phosphorous Pentoxide	1314-56-3
Ammonium hydroxide	1336-21-6

U.S. State Regulations: NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name	<u>CAS-No.</u>
Calcium Carbonate	1317-65-3
Water	7732-18-5
Acrylic polymer	9003-01-4

PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name	CAS-No.
Calcium Carbonate	1317-65-3
Water	7732-18-5
Acrylic polymer	9003-01-4

CALIFORNIA PROPOSITION 65 CARCINOGENS

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

<u>Chemical Name</u>	CAS-No.
Titanium Dioxide	13463-67-7

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product.

International Regulations: As follows -

CANADIAN WHMIS:

This SDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class: D2A, D2B

Denmark

B-Value: 0.000000

France

Storage Conditions: No Information

Professional Illness Table:

CAS Number	Chemical Name	Professional Illness
13463-67-7	Titanium Dioxide	not available
67-56-1	Methanol	not available
Germany		

VbF-Class: No Information

WGK-class: 1

Remarks:	WGK 0 = in general not a water pollutant
	WGK 1 = weak water pollutant
	WGK 2 = water pollutant
	WGK 3 = severe water pollutant

Processing restrictions:*

Incident Regulation:

No Information

Spain

No Information

Switzerland

VOC-Value: 1.41

United Kingdom

Storage Conditions: No Information

Section 16. Other information, including date of preparation of the last revision

Revision Date:	6/16/2016		Supercedes Date:	5/24/2016
Reason for revision:	Substance Chemical Nar Statement(s) Changed	ne Changed		
Datasheet produced by:	Regulatory Department			
HMIS Ratings: Health: 2	Flammability: 1	Reactivity:	0 Personal Protection:	X

NFPA Ratings:

Health:	1	Flammability:	1	Reactivity:	0	Hazards:	N.I.

71

Volatile Organic Compounds, gr/ltr:

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H370	Causes damage to organs.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:



GHS08

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and recommendations are not followed. Any use of the product not in conformance with this SDS or in combination with any other product or process is the responsibility of the user.