

# Safety Data Sheet

## 1 Identification of the substance and manufacturer

Trade name: STRIPE HOT PINK FLUORESCENT  
 Product code: 0000160679  
 Product category: PC9a Paints and coatings.  
 Manufacturer/Supplier: Seymour of Sycamore  
 917 Crosby Avenue  
 Sycamore, IL 60178  
 Phone: 815-895-9101 www.seymourpaint.com  
 Emergency telephone number: CHEMTEL 1-800-255-3924, or 813-248-0585.

## 2 Hazard(s) identification

### Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.  
 Press. Gas H280 Contains gas under pressure; may explode if heated.  
 STOT SE 3 H335 May cause respiratory irritation.  
 STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.  
 GHS Hazard pictograms



GHS02 GHS04 GHS07 GHS08

### Signal word

Danger

### Hazard statements

Extremely flammable aerosol.  
 Contains gas under pressure; may explode if heated.  
 May cause respiratory irritation.  
 May cause damage to organs through prolonged or repeated exposure.

### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 Do not spray on an open flame or other ignition source.  
 Do not pierce or burn, even after use.  
 Use only outdoors or in a well-ventilated area.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Call a POISON CENTER/doctor if you feel unwell.  
 Store locked up.  
 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 Protect from sunlight. Store in a well-ventilated place.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

### Chemical characterization: Mixtures

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

Dangerous components:		
64742-89-8	VM&P Naphtha	18.43%
74-98-6	propane	15.11%
1317-65-3	Calcium Carbonate	11.62%
106-97-8	n-butane	8.88%
64742-47-8	Mineral Spirits	3.74%
110-19-0	isobutyl acetate	3.26%

## 4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.  
 After skin contact: Remove contaminated clothing. Wash exposed area with soap and water.  
 After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.  
 After swallowing: Rinse out mouth and then drink plenty of water.  
 Rinse mouth with water. Do not induce vomiting.

### Most important symptoms and effects:

Dizziness

### Indication of any immediate medical attention needed:

No further relevant information available.

## 5 Fire-fighting measures

Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.  
 Special hazards: Can form explosive gas-air mixtures.  
 Protective equipment for firefighters: A respiratory protective device may be necessary.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.  
 Use respiratory protective device against the effects of fumes/dust/aerosol.

# Safety Data Sheet

**Trade name:** STRIPE WHITE INVERTED TIP

(Contd. of page 2)

<b>13463-67-7 titanium dioxide</b>		
Oral	LD50	>20000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rbt)
Inhalative	LC50/4 h	>6.82 mg/l (rat)
<b>Information on toxicological effects:</b> No data available. <b>Skin effects:</b> No irritant effect. <b>Eye effects:</b> No irritating effect. <b>Sensitization:</b> No sensitizing effects known.		
<b>Carcinogenic categories</b>		
<b>IARC (International Agency for Research on Cancer)</b>		
13463-67-7 titanium dioxide		2B
<b>NTP (National Toxicology Program)</b>		
None of the ingredients is listed.		

## 12 Ecological information

<b>Aquatic toxicity:</b>	Hazardous for water, do not empty into drains.
<b>Persistence and degradability:</b>	The product is degradable after prolonged exposure to natural weathering processes.
<b>Bioaccumulative potential:</b>	No further relevant information available.
<b>Mobility in soil:</b>	No further relevant information available.
<b>Other adverse effects:</b>	No further relevant information available.


## 13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.  
**Recommendation:** Completely empty cans should be recycled.

## 14 Transport information

<b>UN-Number</b>	UN1950
<b>DOT</b>	N/A
<b>DOT</b>	UN1950
<b>ADR</b>	Consumer Commodity ORM-D
<b>Transport hazard class(es):</b>	AEROSOLS, flammable
<b>Class</b>	1950 AEROSOLS
<b>Marine pollutant:</b>	2.1
<b>Special precautions for user:</b>	No
<b>EMS Number:</b>	Warning: Gases
<b>Packaging Group:</b>	F-D,S-U
<b>UN "Model Regulation":</b>	---
	UN1950, AEROSOLS, 2.1

## 15 Regulatory information

<b>SARA Section 355 (extremely hazardous substances):</b>	
None of the ingredients in this product are listed.	
<b>SARA Section 313 (Specific toxic chemical listings):</b>	
None of the ingredients is listed.	
<b>CPSC:</b>	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
<b>California Proposition 65 chemicals known to cause cancer:</b>	
13463-67-7 titanium dioxide	
100-41-4 ethyl benzene	
<b>CANADIAN ENVIRONMENTAL PROTECTION ACT:</b>	
<b>WHMIS Symbols for Canada:</b>	All hazardous ingredients for this product appear on the Canadian Domestic Substance List. A - Compressed gas
	
<b>EPA:</b>	
None of the ingredients is listed.	

## 16 Other information

**Contact:** Regulatory Affairs  
**Date of preparation / last revision:** 02/04/2016 / -



# Safety Data Sheet

## 1 Identification of the substance and manufacturer

**Trade name:** STRIPE WHITE INVERTED TIP  
**Product code:** 0000160652  
**Product category:** PC9a Paints and coatings.  
**Manufacturer/Supplier:** Seymour of Sycamore  
 917 Crosby Avenue  
 Sycamore, IL 60178  
 Phone: 815-895-9101 www.seymourpaint.com  
**Emergency telephone number:** CHEMTEL 1-800-255-3924, or 813-248-0585.

## 2 Hazard(s) identification

**Classification of the substance or mixture**  
 Flam. Aerosol 1 H222 Extremely flammable aerosol.  
 Press. Gas H280 Contains gas under pressure; may explode if heated.  
 STOT SE 3 H335 May cause respiratory irritation.  
 STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.  
**GHS Hazard pictograms**



GHS02 GHS04 GHS07 GHS08

**Signal word:** Danger  
**Hazard statements:** Extremely flammable aerosol.  
 Contains gas under pressure; may explode if heated.  
 May cause respiratory irritation.  
**Precautionary statements:** May cause damage to organs through prolonged or repeated exposure.  
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 Do not spray on an open flame or other ignition source.  
 Do not pierce or burn, even after use.  
 Use only outdoors or in a well-ventilated area.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Call a POISON CENTER/doctor if you feel unwell.  
 Store locked up.  
 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 Protect from sunlight. Store in a well-ventilated place.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

**Chemical characterization:** Mixtures  
**Chemical Description:** This product is a mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
74-98-6	propane	17.63%
1317-65-3	Calcium Carbonate	14.79%
64742-89-8	VM&P Naphtha	14.0%
106-97-8	n-butane	10.36%
13463-67-7	titanium dioxide	6.1%
64742-47-8	Mineral Spirits	5.17%

## 4 First-aid measures

**After inhalation:** Supply fresh air; consult doctor in case of complaints.  
**After skin contact:** Remove contaminated clothing. Wash exposed area with soap and water.  
**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.  
**After swallowing:** Rinse out mouth and then drink plenty of water.  
 Rinse mouth with water. Do not induce vomiting.  
**Most important symptoms and effects:** Dizziness  
**Indication of any immediate medical attention needed:** No further relevant information available.

## 5 Fire-fighting measures

**Extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
**Special hazards:** Can form explosive gas-air mixtures.  
**Protective equipment for firefighters:** A respiratory protective device may be necessary.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Wear protective equipment. Keep unprotected persons away.  
 Use respiratory protective device against the effects of fumes/dust/aerosol.

Trade name: STRIPE HOT PINK FLUORESCENT

(Contd. of page 2)

**11 Toxicological information**

<b>LD/LC50 values that are relevant for classification:</b>		
106-97-8 n-butane		
Inhalative	LC50/4 h	658 mg/l (rat)
110-19-0 isobutyl acetate		
Oral	LD50	4763 mg/kg (rbl)
Information on toxicological effects: No data available.		
Skin effects: No irritant effect.		
Eye effects: No irritating effect.		
Sensitization: No sensitizing effects known.		
<b>Carcinogenic categories</b>		
<b>IARC (International Agency for Research on Cancer)</b>		
None of the ingredients is listed.		
<b>NTP (National Toxicology Program)</b>		
None of the ingredients is listed.		

**12 Ecological information**

Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering processes.
Bioaccumulative potential:	No further relevant information available.
Mobility in soil:	No further relevant information available.
Other adverse effects:	No further relevant information available.


**13 Disposal considerations**

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.  
**Recommendation:** Completely empty cans should be recycled.

**14 Transport information**

UN-Number	UN1950
DOT	N/A
DOT	UN1950
ADR	Consumer Commodity ORM-D
Transport hazard class(es):	AEROSOLS, flammable
Class	1950 AEROSOLS
Marine pollutant:	2.1
Special precautions for user:	No
EMS Number:	Warning: Gases
Packaging Group:	F-D,S-U
UN "Model Regulation":	---
	UN1950, AEROSOLS, 2.1

**15 Regulatory information**

<b>SARA Section 355 (extremely hazardous substances):</b>	
None of the ingredients in this product are listed.	
<b>SARA Section 313 (Specific toxic chemical listings):</b>	
None of the ingredients is listed.	
CPSC:	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
<b>California Proposition 65 chemicals known to cause cancer:</b>	
100-41-4	ethyl benzene
<b>CANADIAN ENVIRONMENTAL PROTECTION ACT:</b>	
WHMIS Symbols for Canada:	All hazardous ingredients for this product appear on the Canadian Domestic Substance List. A - Compressed gas
	
<b>EPA:</b>	
110-19-0	isobutyl acetate

**16 Other information**

Contact: Regulatory Affairs  
 Date of preparation / last revision: 02/04/2016 / -



# Safety Data Sheet

## 1 Identification of the substance and manufacturer

Trade name: **STRIPE PRECAUTION BLUE**  
 Product code: 0000160653  
 Product category: PC9a Paints and coatings.  
 Manufacturer/Supplier: Seymour of Sycamore  
 917 Crosby Avenue  
 Sycamore, IL 60178  
 Phone: 815-895-9101 www.seymourpaint.com  
 Emergency telephone number: CHEMTEL 1-800-255-3924, or 813-248-0585.

## 2 Hazard(s) identification

Classification of the substance or mixture  
 Flam. Aerosol 1 H222 Extremely flammable aerosol.  
 Press. Gas H280 Contains gas under pressure; may explode if heated.  
 STOT SE 3 H335 May cause respiratory irritation.  
 STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.  
 GHS Hazard pictograms



GHS02 GHS04 GHS07 GHS08

Signal word: **Danger**  
 Hazard statements: Extremely flammable aerosol.  
 Contains gas under pressure; may explode if heated.  
 May cause respiratory irritation.  
 May cause damage to organs through prolonged or repeated exposure.  
 Precautionary statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 Do not spray on an open flame or other ignition source.  
 Do not pierce or burn, even after use.  
 Use only outdoors or in a well-ventilated area.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Call a POISON CENTER/doctor if you feel unwell.  
 Store locked up.  
 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 Protect from sunlight. Store in a well-ventilated place.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

Chemical characterization: Mixtures  
 Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
74-98-6	propane	17.63%
64742-89-8	VM&P Naphtha	17.63%
1317-65-3	Calcium Carbonate	14.78%
106-97-8	n-butane	10.36%
64742-47-8	Mineral Spirits	4.2%
13463-67-7	titanium dioxide	1.33%

## 4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.  
 After skin contact: Remove contaminated clothing. Wash exposed area with soap and water.  
 After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.  
 After swallowing: Rinse out mouth and then drink plenty of water.  
 Rinse mouth with water. Do not induce vomiting.  
 Most important symptoms and effects: Dizziness  
 Indication of any immediate medical attention needed: No further relevant information available.

## 5 Fire-fighting measures

Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.  
 Special hazards: Can form explosive gas-air mixtures.  
 Protective equipment for firefighters: A respiratory protective device may be necessary.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.  
 Use respiratory protective device against the effects of fumes/dust/aerosol.

# Safety Data Sheet

**Trade name: STRIPE PRECAUTION BLUE**

(Contd. of page 2)

<b>13463-67-7 titanium dioxide</b>		
Oral	LD50	>20000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rbt)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

**Information on toxicological effects:** No data available.  
**Skin effects:** No irritant effect.  
**Eye effects:** No irritating effect.  
**Sensitization:** No sensltizing effects known.

**Carcinogenic categories**

<b>IARC (International Agency for Research on Cancer)</b>	
13463-67-7   titanium dioxide	2B
<b>NTP (National Toxicology Program)</b>	
None of the Ingredients is listed.	

**12 Ecological information**

**Aquatic toxicity:** Hazardous for water, do not empty into drains.  
**Persistence and degradability:** The product is degradable after prolonged exposure to natural weathering processes.  
**Bioaccumulative potential:** No further relevant information available.  
**Mobility in soil:** No further relevant information available.  
**Other adverse effects:** No further relevant information available.


**13 Disposal considerations**

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.  
**Recommendation:** Completely empty cans should be recycled.

**14 Transport information**

**UN-Number:** UN1950  
**DOT:** N/A  
**DOT:** UN1950  
**DOT:** Consumer Commodity ORM-D  
 Aerosols, flammable  
 1950 Aerosols  
**ADR:**  
**Transport hazard class(es):**  
**Class:** 2.1  
**Marine pollutant:** No  
**Special precautions for user:** Warning: Gases  
**EMS Number:** F-D,S-U  
**Packaging Group:** --  
**UN "Model Regulation":** UN1950, Aerosols, 2.1

**15 Regulatory information**

<b>SARA Section 355 (extremely hazardous substances):</b>	
None of the ingredients in this product are listed.	
<b>SARA Section 313 (Specific toxic chemical listings):</b>	
None of the ingredients is listed.	
<b>CPSC:</b>	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
<b>California Proposition 65 chemicals known to cause cancer:</b>	
13463-67-7   titanium dioxide	
100-41-4   ethyl benzene	
1333-86-4   Carbon black	
<b>CANADIAN ENVIRONMENTAL PROTECTION ACT:</b>	All hazardous ingredients for this product appear on the Canadian Domestic Substance List.
<b>WHMIS Symbols for Canada:</b>	A - Compressed gas 
<b>EPA:</b>	
None of the ingredients is listed.	

**16 Other information**

**Contact:** Regulatory Affairs  
**Date of preparation / last revision:** 02/04/2016 / -