Page: 1/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

1 Identification

· Product identifier

· Trade name: FUSEE

Product code: FUSEE-200

· Other means of identification: Highway safety flares

· Recommended use and restriction on use

· Recommended use: Emergency signaling

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

GW Safety Signal, LLC DBA Gateway Safety Flare

107 West Poplar St. Lamar, CO 81052 (303)726-0045

info@GatewaySafetyFlare.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Expl. 1.4 H204 Fire or projection hazard.

- · Additional information: Exposure to product contents is highly unlikely during normal usage.
- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS01

- · Signal word: Warning
- · Hazard statements:

H204 Fire or projection hazard.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P250 Do not subject to grinding/shock/friction.

P280 Wear protective gloves / eye protection / face protection.

P372 Explosion risk in case of fire.

P374 Fight fire with normal precautions from a reasonable distance.

P401 Store in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont'd. on page 2)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 1)

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component	ts:		
10042-76-9	strontium nitrate	♦ Ox. Sol. 2, H272	60-80%
7704-34-9	sulfur	🕩 Skin Irrit. 2, H315	<10%
7778-74-7	potassium perchlorate	Ox. Sol. 1, H271 Acute Tox. 4, H302	<10%
68476-30-2	Fuel oil, No 2	🕸 Carc. 2, H351	<2%
8008-20-6	Kerosine (petroleum)	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315; STOT SE 3, H336	<2%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information:

This is a packaged product that will not result in exposure to the contents under normal conditions of use. In the event of exposure, administer first aid appropriate for symptoms present.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Wash with soap and water.

In case of minor burns, flush with cool water.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: Thermal burns.
- Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

Treat symptomatically.

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- Suitable extinguishing agents:

Water spray

Water fog / haze

Foam

Fire-extinguishing powder

Gaseous extinguishing agents

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Risk of explosion if heated under confinement.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Eliminate all ignition sources if safe to do so.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

- · Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- · Precautions for safe handling: Use only outdoors or in a well-ventilated area.
- · Information about protection against explosions and fires:

Prevent impact and friction.

Risk of explosion if heated under confinement.

- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 3)

· Information about storage in one common storage facility:

Store away from flammable substances.

Store away from foodstuffs.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Componente	ith limit values that require monitoring at the weathers.			
	rith limit values that require monitoring at the workplace:			
68476-30-2 Fue	68476-30-2 Fuel oil, No 2			
TLV (USA)	Long-term value: 100* mg/m³ as total hydrocarbons;Skin;*inh. fraction + vapor			
EL (Canada)	Long-term value: 100 mg/m³ vapour and inhalable aerosol; Skin			
EV (Canada)	Long-term value: 100 mg/m³ as total hydrocarbons, vapour and aerosol, Skin			
LMPE (Mexico)	Long-term value: 100 mg/m³ A3, PIEL, IFV			
8008-20-6 Kero	sine (petroleum)			
REL (USA)	Long-term value: 100 mg/m³ Kerosine only			
TLV (USA)	Long-term value: 200 mg/m³ as total hydrocarbon vapor; Skin; P			
EL (Canada)	Long-term value: 200 mg/m³ Skin			
EV (Canada)	Long-term value: 200(G) mg/m³ as total hydrocarbon vapour, Skin			
LMPE (Mexico)	Long-term value: 200 mg/m³ A3, PIEL			

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Thermally-protective gloves.

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

· Eye protection:

(Cont'd. of page 4)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Not required under normal conditions of use.
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties				
· Information on basic physical a	nd chemical properties			
· Appearance:				
Form:	Solid material - round tube containing granular material.			
Color:	Red			
· Odor: · Odor threshold:	Petroleum-like Not determined.			
Odor tillesiloid.	Not determined.			
· pH-value:	Not applicable.			
Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	Not determined.			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Flammable solid.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Risk of explosion if heated under confinement.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Contains oxidizing agent.			
· Vapor pressure:	Not determined.			
· Density:	Not determined.			
· Relative density:	Not determined.			
· Vapor density:	Not applicable.			
· Evaporation rate:	Not applicable.			
· Solubility in / Miscibility with				
Water:	Insoluble.			
· Partition coefficient (n-octanol/wat	er): Not determined.			
Viscosity				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			

(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 5)

· Other information

No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Risk of explosion if heated under confinement.

- · Possibility of hazardous reactions Flammable solid.
- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Toxic metal oxide smoke

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · **Sensitization**: Based on available data, the classification criteria are not met.
- Carcinogenic categories
- IARC (International Agency for Research on Cancer):

68476-30-2 Fuel oil, No 2

2B

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- · Probable route(s) of exposure: Inhalation.
- Acute effects (acute toxicity, irritation and corrosivity): Risk of thermal burns.
- Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 6)

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incinerate in accordance with local, state and federal regulations.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport informat

-	U	Ν	 -	٧ı	ır	n	b	er	

• **DOT** NA1325 • **ADR, IMDG, IATA** UN0191

· UN proper shipping name

· **DOT** Fusee

· ADR, IMDG SIGNAL DEVICES, HAND Signal devices, hand

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 7) · Transport hazard class(es) · DOT · Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives · ADR · Class 1.4 · IMDG, IATA 1.4 · Class · Label 1.4G · Packing group · DOT, ADR, IMDG, IATA Ш · Environmental hazards · Marine pollutant: No · Special precautions for user Not applicable. · EMS Number: F-B, S-· Segregation groups Nitrites and their mixtures Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · IATA Cargo Aircraft Only.

Page: 9/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 304 (emergency release notification):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

10042-76-9 strontium nitrate

TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

7778-74-7 potassium perchlorate

NL

· IARC (International Agency for Research on Cancer):

68476-30-2 Fuel oil, No 2

2B

NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision June 06, 2017 / -
- · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2017 Revision: June 06, 2017

Trade name: FUSEE

(Cont'd. of page 9)

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: l'Institut national de recherche sur la sécurité et la santé au travail / National Institute for Occupational Safety (États-Unis)

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Expl. 1.4: Explosives - Division 1.4

Flam. Liq. 3: Flammable liquids – Category 3

Ox. Sol. 1: Oxidizing solids – Category 1 Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com